

# SAFETY DATA SHEET

## IGL COATINGS™ ECOSHINE DASH



Material no.

Specification

154296

Revision date

08.06.2022

Version

2.00

Page

1 of 6

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME : IGL Coatings™ ecoshine dash  
FUNCTION : Vinyl and leather protectant  
COMPANY : Ominent Sdn Bhd  
ADDRESS : No.7, Jalan Majistret U1/26, Hicom-Glenmarie Industrial Park, Seksyen U1, 40150 Shah Alam, Selangor.  
PHONE : +60355690980  
EMAIL ADDRESS : regulations@iglcoatings.com

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This product is not classified as physical, health or environmental hazards under GHS criteria.

#### 2.2 Label Elements

Regulation (EC) No. 1272/2008

This product is not entitled for any hazard pictogram under GHS criteria.

#### Signal Word

None

#### Hazard statements

None

#### Precautionary statements

P102 Keep out of reach of children.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS No.	Chemical Name			Quantity
	EC No.	Index No.	REACH No.	
	Classification according to Regulation (EC) No. 1272/2008 (CLP)			
7732-18-5	Water			80-100%
	231-791-2	Not applicable	Not applicable	
	Not applicable			
71750-79-3	Aminoalkyl polydimethylsiloxane			5-10%
	615-336-9	Not applicable	Not applicable	
	Skin Irrit. 2: H315; Eye Irrit. 2: H319;			
67-63-0	Isopropyl alcohol			0.1-1%
	200-661-7	603-117-00-0	Not Applicable	
	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336			
68439-46-3	Alcohols, C9-11, ethoxylated			0.1-1%
	614-482-0	Not applicable	01-2119980051-45-0000	
	Eye Irrit. 2: H319			
69011-36-5	Tridecanoethoxylate, branched			0.1-1%
	614-482-0	Not applicable	01-2119976362-32-0000	
	Aquatic Chronic 3: H412			
102-71-6	Triethanolamine			0.1-1%
	203-049-8	Not applicable	01-2119486482-31-0000	
	Not applicable			

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

# SAFETY DATA SHEET

## IGL COATINGS™ ECOSHINE DASH



Material no.

Specification

154296

Revision date

08.06.2022

Version

2.00

Page

2 of 6

### General Information

Take off contaminated clothing.

#### After Inhalation

If inhaled as aerosol, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

#### After skin contact

If contact with skin, immediately flush skin with plenty of water for at least 15 min. Wash with soap and water.

#### After contact with eyes

If contact with eyes, immediately hold eyelids apart and flush with plenty of water for at least 15 min. Continue to bathe eyes during transport to medical practitioner.

#### After ingestion

For ingestion, if conscious, give several glasses of water but do not induce vomiting. If vomiting does occur, give additional fluids. Get medical attention. Show label if possible.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

---

## 5. FIRE-FIGHTING MEASURES

### 5.1 Suitable extinguishing media

Material does not burn. Use extinguishing measures appropriate to the source of fire.

### 5.2 Unsuitable extinguishing media

None known.

### 5.3 Special hazards arising from substance or mixture

Not applicable.

### 5.4 Advice for firefighters

Fire fighters should wear full protective clothing including a self-contained breathing apparatus. Cool endangered containers with water.

### 5.5 Unusual Fire Hazards:

None.

---

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (Refer to section 8).

Avoid eye contact. Safety goggles required.

### 6.2 Environmental precautions

Do not allow into open waterways and ground water systems.

### 6.3. Methods and material for containment and cleaning up

Dick and soak up with inert absorbent material. Refer section 13 for disposal consideration.

### 6.4 Reference to other sections

Safe handling: Refer to section 7

Personal protection equipment: Refer to section 8

Disposal: Refer to section 13

---

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Advice on safe handling

Wear personal protection equipment (Refer to section 8).

Ensure adequate ventilation. Keep out of reach of children. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

#### Advice on protection against fire and explosion

Not flammable.

Keep away from heat, sparks, open flame and direct sunlight.

# SAFETY DATA SHEET

## IGL COATINGS™ ECOSHINE DASH



Material no.

Specification

154296

Revision date

08.06.2022

Version

2.00

Page

3 of 6

### Further information on handling

General protection and hygiene measures: Refer to section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool and dry area. Avoid prolonged exposure to sunlight.

#### Advice on storage compatibility

Do not store together with food and feeding stuffs.

#### Further information on storage conditions

Keep the packing dry and well-sealed to prevent contamination.

Recommended storage temperature: 20-25 °C.

### 7.3 Specific end use(s): Refer to section 1.

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

### 8.1 Control parameters

#### Specified substance: Isopropyl alcohol

ACGIH	ACGIH TWA	200 ppm (2-propanol; USA; Time-weighted average exposure limit 8 hrs; TLV-Adopted value)
ACGIH	ACGIH STEL	400 ppm (2-propanol; USA; Short time value; TLV-Adopted value)
OSHA	OSHA PEL (TWA)	980 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA)	400 ppm

### 8.2 Exposure Control

#### 8.2.1 General protective and hygienic measures:

Wash hands before eating or drinking and at the end of work.

#### 8.2.2 Personal protective equipment:

##### Respiratory protection:

Use in well ventilated areas or local exhaust ventilations when cleaning small spaces.

##### Protection of hands:

Any liquid-tight rubber or vinyl gloves.

##### Eye protection:

Safety glasses with side shields or chemical safety goggles. Where there is risk of splashing: tight fitting chemical safety goggles .

##### Body protection:

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point	: 100 °C
Flash Point	: 100 °C
Autoignition Temperature	: Non-flammable
Specific Gravity	: 0.99
Viscosity (cPs)	: 400-600
pH	: 7.0-8.0
Evaporation Rate	: 0.99 (water)
Solubility in Water	: Water soluble
Appearance (color)	: Opaque white
Appearance (form)	: Liquid
Odour	: Lavender

## 10. STABILITY AND REACTIVITY

**10.1 Reactivity:** Non-reactive.

**10.2 Chemical stability:** Stable under normal condition.

# SAFETY DATA SHEET

## IGL COATINGS™ ECOSHINE DASH

Material no.

Specification

Version

154296

2.00

Revision date

Page

08.06.2022

4 of 6



**10.3 Possibility of hazardous reactions:** Stable under normal condition.

**10.4 Conditions to avoid:** Excessive heat and cold.

**10.5 Incompatible materials:** None known.

**10.6 Hazardous decomposition products:** If stored and handled properly: none known. The following applies for the silicone content of the substance: Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

No toxicity information is available for this product.

**Skin corrosion/irritation:** Shall not be classified as corrosive or irritant to skin.

**Serious eye damage/eye irritation:** Shall not be classified as damage or irritant to eyes.

**Respiratory or skin sensitization:** Shall not be classified as respiratory or skin sensitizer.

**Summary of evaluation of the CMR properties:** Shall not be classified as a germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

**Specific target organ toxicity – single exposure:** Shall not be classified as specific target organ toxicity – single exposure.

**Specific target organ toxicity – repeated exposure:** Shall not be classified as specific target organ toxicity – repeated exposure.

**Aspiration hazard:** Shall not be classified as aspiration hazard.

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.

### 12.2 Process of degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB Assessment

No data available.

### 12.6 Other adverse effects

No data available.

## 13. DISPOSAL CONSIDERATION

### 13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulation.

### Sewage disposal-related information

Do not empty into drains.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## 14. TRANSPORT INFORMATION

### 14.1 IATA-DGR

# SAFETY DATA SHEET

## IGL COATINGS™ ECOSHINE DASH



Material no.

Specification

154296

Revision date

08.06.2022

Version

2.00

Page

5 of 6

UN number : -  
UN proper shipping name : Non dangerous goods  
Transport hazard class(es) : -  
Packing group : -  
Environmental hazards : No  
Special precautions for user : No data available.  
Remarks : -

### 14.2 IMDG-Code

UN number : -  
UN proper shipping name : Non dangerous goods  
Transport hazard class(es) : -  
Packing group : -  
Environmental hazards : No  
Marine pollutant : No  
EmS Code : -

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### US Federal Regulations

##### US. Toxic Substances Control Act (TSCA)

All chemical substances in this material are included on the TSCA Inventory of Chemical Substances.

##### Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) Hazardous Substance List

None present or none present in regulated quantities.

##### Superfund Amendments and Reauthorization Act of 1986 (SARA)

##### Emergency Planning and Community Right-To-Know Act (EPCRA) Section 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

##### Emergency Planning and Community Right-To-Know Act (EPCRA) Section 313 Toxics Release Inventory (TRI) Reporting

Component	CAS No.
Isopropyl alcohol	67-63-0

##### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

#### US. State Regulation

##### US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

#### EU Regulation

##### EU. Directive 2012/18/EU (SEVESO III) on Major Accident Hazards Involving Dangerous Substances, Annex I:

Not applicable.

### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## 16. OTHER INFORMATION

# SAFETY DATA SHEET

## IGL COATINGS™ ECOSHINE DASH



Material no.

Specification

Version

**154296**

**2.00**

Revision date

Page

**08.06.2022**

6 of 6

### Further information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material use in combination with any other materials or any process, unless specified in the test.